

RBC Aerospace Bearings

Uniflon™ HP Machineable Liner Bearings

Introducing Uniflon™ HP Machineable Liner Bearings

- Made from a proprietary mixture of advanced technology polymeric resin systems, combined with leading-edge polytetrafluoroethylene (PTFE), and other special lubricating materials.
- Uniflon™ HP is a molded, machineable self-lubricating liner system designed to achieve the lowest friction levels and lowest wear rates for use in the most demanding bearing applications.

Specifications

Exceeds the requirements of:

- SAE AS81934 (formerly MIL-B-81934)
- Boeing BMS 3-39
- SAE AS81820 (qualification in process)

Typical Uses

- Aircraft – actuators, hinges and support bearings for flight controls; gear doors, actuators and braces for landing gear; passenger and emergency door mechanisms; flap and slat track rollers
- Missiles/Space – launch mechanisms, retracting hardware, airlock doors
- Marine – watertight hatches and doors, weapon systems, submarine dive control mechanisms



F35 Joint Strike Fighter image courtesy of the Joint Strike Fighter Program Office.




Typical Machineable Liner Bearings.

Special Features

- Lowest friction and also lowest wear in a single polymeric formulation
- Superior resistance to aerospace chemicals and water

SAE AS81934 Wear Test Chart with Fluid Contamination

AS81934 Test Conditions: 37,500psi (258 MPa) Hydraulic Fluids, Jet Fuel
25,500 psi (176 MPa) AS8243 Anti-Ice



RBC Aerospace Bearing Products

Innovation. Commitment. Quality.

RBC Bearings has been producing bearings in the USA since 1919. RBC offers a full line of aerospace bearings, including unique custom configurations.



Spherical Bearings

- MS approved to AS81820 (formerly MIL-B-81820)
- Boeing and Airbus approved
- Self-lubricating
- Metal-to-Metal
- Loader slots
- High temperature
- Low coefficient of friction
- Special configurations and materials



Thin Section Ball Bearings

- Standard cross sections to one inch
- Stainless steel and other materials are available
- Sizes to 40 inches
- Seals available on all sizes and standard cross sections
- Super duplex configurations



Journal Bearings

- MS approved to AS81934 (formerly MIL-B-81934)
- Boeing and Airbus approved
- Plain and flanged
- Self-lubricating
- High temperature
- High loads
- Available in inch and metric sizes



Airframe Control Ball Bearings

- MS approved to AS7949 (formerly MIL-B-7949)
- Boeing and Airbus approved
- Single and double row
- Radial, self-aligning, and pulley series
- 52100 Cad plated and 440C stainless



Ball Bearing Rod Ends

- MS approved to AS6039 (formerly MIL-B-6039)
- Boeing approved
- Various shank configurations
- Low coefficient of friction
- Advanced AeroCres® materials available




Rod End Bearings

- MS approved to AS81935 (formerly MIL-B-81935)
- Boeing and Airbus approved
- Self-lubricating • Metal-to-Metal
- Loader slots • High temperature
- Low coefficient of friction
- Special configurations and materials



Cargo Roller Bearings

- Boeing approved
- Features precision ground, semi-ground, and unground ball bearings
- Offered in caged and full complement configurations



Track Rollers

- MS approved to AS39901 (formerly MIL-B-3990)
- Boeing and Airbus approved
- ATF single row and ATL double row
- Sealed with lube holes and grooves
- Heavy duty cross sections
- Advanced AeroCres® materials available



Cam Followers

- MS approved to AS39901 (formerly MIL-B-3990)
- Advanced AeroCres® materials available
- Maximum corrosion resistance
- Superior lubricants and seals to reduce maintenance



Load Slot Bearings

- Spherical and rod end designs
- Superior ball-to-race conformity
- Reduced maintenance cost
- Variety of race materials available
- Boeing approved



Specials

- Many specialty bearings, custom-designed and configured for diverse aerospace applications
- Capability for advanced aerospace specialty corrosion resistant and high temperature materials



**866.RBC.AERO
(866.722.2376)**

www.rbcbearings.com

This document contains a general overview of the products and features described herein. It is solely for informational purposes, does not represent a warranty of the information contained herein, and is not to be construed as an offer to sell or a solicitation to buy. Contact RBC Bearings for detailed information suitable to your specific applications. RBC Bearings reserves the right to modify its products and related product information at any time without prior notice. Some of the products listed herein may be covered by one or more issued and pending U.S. or foreign patents. Contact RBC Bearings for product specific information.

© 2010 RBC Bearings Incorporated. All rights reserved.

RBC 5/10